



TEST REPORT

No. : GZIN150700969CCM-01

Date : Aug. 18, 2015

Page: 1 of 6

CLIENT NAME: MEXY TECH CO., LTD.

ADDRESS: ROOM 2-8, BUILDING B, TORCH INNOVATION PARK, JIHUA 2 ROAD, CHANCHENG DISTRICT FOSHAN CITY, GUANGDONG PROVINCE, CHINA.

The following sample(s) was/ were submitted and identified on behalf of the client as:

Sample Name : WPC
SGS Ref. No. : KV-15-06491XA, GZIN1507028855MR
Test Performed : Selected test(s) as requested by applicant
Date of Receipt : Jul. 10, 2015
Test Period : Jul. 10, 2015 to Jul. 28, 2015

Test result(s) : Please refer to the following page(s)

*****To be continued*****

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co.,Ltd
Guangzhou Branch

Chandler Wu
Technical Engineer



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co.,Ltd.
Guangzhou Branch

198 Kezhu Road, Sciencetech Park, Economic & Technical Development District, Guangzhou, China. 510663 t(86-20) 82155555 f (86-20) 82075080 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t(86-20) 82155555 f (86-20) 82075080 e sgs.china@sgs.com

TEST REPORT

No. : GZIN150700969CCM-01

Date : Aug. 18, 2015

Page: 2 of 6

Test Information:

Sample description: See photo

Test item 1: Determination of moisture content

Test method: EN 322:1993

Test condition:

Specimen: 50×50×21.5mm

Condition: Dry at 103℃ for 48h and cool to room temperature in the desiccator.

Test result: 0.89%

Test item 2: Falling mass impact resistance

Test method: EN 15534-1:2014 section 7.1.2.1

Test condition:

Specimen: 300×141×21.3mm

Weight of steel ball: 1000g

Diameter of steel ball: 50mm

Falling height: 700mm

Span: 200mm

Test result:

Specimen NO.	1	2	3	4	5	6	7	8	9	10
Whether broken	No	No	No	No	No	No	No	No	No	No
Residual indentation, mm	9.16	9.32	9.16	8.78	8.74	8.86	8.96	9.24	9.06	8.95

*****To be continued*****



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CTI Standards Technical Services Co., Ltd.
Guangzhou Branch

198 Kezhu Road, Sciencetech Park, Economic & Technical Development District, Guangzhou, China. 510663 t(86-20) 82155555 f(86-20) 82075080 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t(86-20) 82155555 f(86-20) 82075080 e sgs.china@sgs.com

TEST REPORT

No. : GZIN150700969CCM-01

Date : Aug. 18, 2015

Page: 3 of 6

Test item 3: Modulus of elasticity in bending and bending strength

Test method: EN 15534-1:2014 Section 7.3.2 and Annex A

Test condition:

Specimen: 550×141×21.2mm

Testing speed: 16mm/min

Span: 426mm

Test result:

Modulus of elasticity: 3758MPa

Bending strength: 26.8MPa

Test item 4: Withdrawal capacity of fasteners – Screw- Surface withdrawal

Test method: With reference to EN 13446:2002

Test condition:

Specimen: 50×50×21.5mm

Test speed: 2.0mm/min

Diameter of screw: 4.15mm

Diameter of lead hole: 3.0mm

Penetration depth: 21.5mm

Test result:

Max load: 4139N

Withdrawal parameter: 46.4N/mm²

*****To be continued*****



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park, Economic & Technical Development District, Guangzhou, China. 510663 t(86-20) 82155555 f(86-20) 82075080 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t(86-20) 82155555 f(86-20) 82075080 e sgs.china@sgs.com

TEST REPORT

No. : GZIN150700969CCM-01

Date : Aug. 18, 2015

Page: 4 of 6

Test item 5: Withdrawal capacity of fasteners – Screw- Edge withdrawal

Test method: With reference to EN 13446:2002

Test condition:

Specimen: 50×50×21.3mm

Test speed: 2.0mm/min

Diameter of screw: 4.15mm

Diameter of lead hole: 3.0mm

Penetration depth: 20.0mm

Test result:

Direction	Max load	Withdrawal parameter
X direction	3187N	38.4N/mm ²
Y direction	3553N	42.8N/mm ²

Test item 6: Coefficient of linear thermal expansion

Test method: ISO 11359-2:1999

Test condition:

Test temperature range: Ramp 5°C/min from -20°C to 80°C

Purge gas: Nitrogen (N₂), Purity 99.999%, Flow rate 50ml/min

Measurement Direction: Length

Force: 0.0203N

Test result:

Test Item	Test Method	Test Results	
Coefficient of linear thermal expansion (µm/m · °C)	ISO 11359-2:1999	No1	-20°C ~ 80°C : 59.97
		No2	-20°C ~ 80°C : 71.52
		No3	-20°C ~ 80°C : 68.77

*****To be continued*****



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CTI Standards Technical Services Co., Ltd.
Guangzhou Branch

198 Kezhu Road, Sciencetech Park, Economic & Technical Development District, Guangzhou, China. 510663 t(86-20) 82155555 f (86-20) 82075080 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t(86-20) 82155555 f (86-20) 82075080 e sgs.china@sgs.com

No. : GZIN150700969CCM-01

Date : Aug. 18, 2015

Page: 5 of 6

Test item 7: Deflection Temperature under Load

Test method: ISO 75-1:2013 & ISO 75-2:2013 Method A

Test condition:

Specimen: 80 mm×10.30 mm×10.20 mm

Heat-transfer media: Silicone oil

T_f1.8

Rate of temperature:120 °C/h

Span: 64 mm

Lab Environmental Condition: 23±2°C, 50±5%RH

Test result: 80 °C

Test item 8: Oxygen Index

Test method: ASTM D2863-13

Test condition:

Specimen: Type III

Specimen thickness: 9.4 mm

Ignition procedure: Procedure A

Lab Environment Condition: 23 ± 2 °C, 50 ± 5 %RH

Test result: 21.8 %(See note 1)

Note: 1. Burning behavior: charring and after glow.

2. All test specimens were cut from the sample.

3. The test item 7 was carried out by a SGS internal laboratory.

Statement: Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.

*****To be continued*****



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CTI Standards Technical Services Co., Ltd.
Guangzhou Branch

198 Kezhu Road, Sciencetech Park, Economic & Technical Development District, Guangzhou, China. 510663 t(86-20) 82155555 f(86-20) 82075080 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t(86-20) 82155555 f(86-20) 82075080 e sgs.china@sgs.com


TEST REPORT

No. : GZIN150700969CCM-01

Date : Aug. 18, 2015

Page: 6 of 6

Photo:



*****End of report*****



SGS-Standard Technical Services Co., Ltd.
Guangzhou Branch Technical Service Material Laboratory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park, Economic & Technical Development District, Guangzhou, China. 510663 t(86-20) 82155555 f(86-20) 82075080 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t(86-20) 82155555 f(86-20) 82075080 e sgs.china@sgs.com